



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/612,009	07/03/2003	Rieko Fukushima	7906.0018	5452

22852 7590 08/28/2006

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER
LLP
901 NEW YORK AVENUE, NW
WASHINGTON, DC 20001-4413

EXAMINER

HAJNIK, DANIEL F

ART UNIT	PAPER NUMBER
----------	--------------

2628

DATE MAILED: 08/28/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/612,009	Applicant(s) FUKUSHIMA ET AL.	
	Examiner Daniel F. Hajnik	Art Unit 2628	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 June 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) 11-15 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 02 October 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6/19/2006 has been entered.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1, 2, and 5 are rejected under 35 U.S.C. 102(b) as being anticipated by State et al. (NPL Document "Superior Augmented Reality Registration by Integrating Landmark Tracking and Magnetic Tracking", herein referred to as "State").

As per claim 1, State teaches the claimed:

1. (Currently amended) A three-dimensional image display method comprising:

detecting a position of a light source existing in real space;

By teaching of:

The (real) light source is tracked (by the mechanical

Art Unit: 2628

arm)
(pg. 437, 3rd paragraph under section 8)
(emphasis added to various quotations from the reference)

Here, the position of the light source is detected through the tracking of the mechanical arm.

State teaches the claimed:

comparing the position of the light source and a virtual position of a display object in a three-dimensional image displayed in real space to obtain a relative positional relation therebetween; and

By teaching of:

Figure 8 demonstrates a virtual object, **a knot, casting a shadow on a real object, a sculpture**. The geometry of the sculpture was digitized with the mechanical arm and placed in the scene. **The (real) light source is tracked** (by the mechanical arm), and the **shadow map is calculated in real-time** (pg. 437, 3rd paragraph under section 8)

A tracked light source moves real and virtual shadows in sync.
(pg. 436, caption under figure 8)

Here, in order for the light source to cause virtual shadowing behind the three-dimensional image (where the three dimensional image is the knot) the positions of both the light source and the object would have to be known. This is required in order to form the correct virtual shadows in response to the light cast from the light source and drawing the virtual shadowing caused by the three dimensional object (also see figure 8 where this is shown).

State teaches the claimed:

shading in the three-dimensional image

By teaching of:

Art Unit: 2628

Figure 9 shows a similar scene. The knot intersects the real objects, emphasizing the accurate registration of **the synthetic imagery (the knot and its shadow)** with the real cuboids.
(pg. 437, 3rd paragraph under section 8)

Here, figure 9 shows shading on the three-dimensional image itself (where the three dimensional image is the knot).

As per claim 2, State teaches the claimed:

2. (Original) The method according to claim 1, further comprising: detecting lightness of the light source.

By teaching of:

CCD video cameras ... attached to the HMD
(pg. 430, 1st paragraph under section 4)

The second component of the landmark finder is the **image analyzer**, which starts its search for a landmark by **inspecting the search area** defined by the landmark predictor.
(pg. 432, 1st paragraph under section 6.2.2)

For our specific camera and frame grabber hardware, and **under the lighting conditions in our lab, such a simple algorithm can reliably distinguish between only a small number of different colors**
(pg. 432, 2nd paragraph under section 6.2.2)

Here, by inspecting a search area using an image analyzer, the lightness is detected as indicated in the reference where different colors are detected. Since some colors appear darker or lighter than others the lightness is detected in this analysis.

As per claim 5, this claim is similar in scope to claim 1, and is rejected under the same rationale.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 6-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over State.

As per claim 6, the reasons and rationale for the rejection of claim 1 is incorporated herein.

State does not explicitly teach the claimed:

a plurality of detectors which detects a position of a light source existing in real space;

However, State suggests the claimed limitation by teaching of in figure 6 of two detectors (cameras labeled c1 and c2) used to calculate a position of a landmark. It would have been obvious to one of ordinary skill in the art to incorporate this position detection method using multiple detectors to detect a position of a light source as well. The modification can be achieved by replacing the landmark labeled (L2) in figure 6 with a light source, and using detectors c1 and c2 to detect the light source position. One advantage to such a modification is to allow for a more freely controlled light source,

Art Unit: 2628

which is not constrained by a mechanical arm for position detection, by utilizing a plurality of detectors to detect the light source position.

As per claims 7 and 8, State teaches the claimed:

a display surface configured to display the three-dimensional image

By teaching of:

Head-Mounted Displays (HMDs)
(pg. 429, 1st paragraph under section 1)

Here, the head-mounted display has an associated display surface or surfaces near the eyes that produce the three-dimensional image for the user to view.

State does not explicitly teach the claimed:

the detector is disposed on at least one of the display surface and a surface adjacent to the display surface.

the detector is disposed to be adjacent to the display surface.

However, States suggests the claimed limitations by teaching of:

CCD video cameras ... attached to the HMD
(pg. 430, 1st paragraph under section 4)

Here, the video cameras are located adjacent to the display and are capable of detecting of light. It would have been obvious to one of ordinary skill in the art to achieve the claimed limitation by utilizing the CCD video cameras as light position detectors which are adjacent to the display surface. The reference suggests this use of the CCD video cameras for light position detection in figure 6 where cameras C1 and C2 are used to detect the position of landmark L2. The motivation of claim 6 is incorporated herein.

As per claim 9, State does not explicitly teach the claimed:

9. (Currently amended) The device according to claim 5, wherein the detector is disposed at a position where the detector detects the light emitted from the light source located in the same direction as at least one of a display direction of the three dimensional image and a direction in which the three-dimensional image is observed

However, State suggests the claimed limitation by teaching of:

Head-Mounted Displays (HMDs)
(pg. 429, 1st paragraph under section 1)

CCD video cameras ... attached to the HMD
(pg. 430, 1st paragraph under section 4)

where the HMD display displays the three-dimensional image in a direction in front of the user's eyes. It would have been obvious to one of ordinary skill in the art to achieve the claimed limitations by using the camera as a light position detector instead of the mechanical arm to achieve the claimed limitations. The modification can be achieved by using the two cameras (detectors) mounted on the head mounted display to detect the position of the light source. The result of this modification is that the light will be detected in the same direction as the display direction of the three-dimensional image since the head mounted display displays the image and because the cameras (detectors) are mounted on the head mounted display. The motivation of claim 6 is incorporated herein.

As per claim 10, State does not explicitly teach the claimed:

10. (Currently amended) The device according to claim 5, wherein:

Art Unit: 2628

the detector includes three-primary colors detection unit that adds colors to the shade.

State suggests the claimed limitation by teaching of:

RGB component values ... distinguish between only a small number of different colors
(pg. 432, 2nd paragraph under section 6.2.2)

Further, State suggests of adding colors to the shade in figure 9 where a shadow is added over top of the yellow colored circular mark and the colors are mixed. Thus, it would have been obvious to one of ordinary skill in the art to achieve the claimed limitations by using the camera as a light position detector instead of the mechanical arm. The modification can be achieved by using the two cameras (detectors) mounted on the head mounted display to detect the position of the light source and thus also detect the three-primary colors. The modification is possible because the reference states the cameras are capable of detecting three-primary colors. The motivation of claim 6 is incorporated herein.

6. Claims 3 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over State in view of Drettakis et al. (NPL Document "Interactive Common Illumination for Computer Augmented Reality", herein referred to as "Drettakis").

As per claim 3, the reasons and rationale for the rejection of claim 1 is incorporated herein.

State does not explicitly teach the claimed:

Art Unit: 2628

detecting positions of a plurality of light sources existing in real space;

Drettakis teaches the claimed limitation by teaching of:

We have introduced a new framework for dealing with the problem of common illumination between real and synthetic objects and **light sources** in the context of computer augmented reality.
(1st paragraph under section 6.3)

We have briefly discussed some possible future research paths, by removing the restrictions one by one, to achieve **interactive common illumination** for first a moving camera, then **moving lights** and finally moving real objects.
(3rd paragraph under section 6.3)

Here, in order to achieve interactive illumination with a CG object the positions of the plurality of light sources must be known in order to correctly add the realistic shadows effects. Without knowing the positions of the light sources the shadow effects can look unrealistic. Thus, the system detects a plurality of light source positions.

It would have been obvious to one of ordinary skill in the art at the time of invention to combine State and Drettakis. Drettakis teaches one advantage of the combination by teaching of:

Novel advances in computer vision are **used for camera calibration and user-friendly modeling** of the real scene, a recent interactive radiosity update algorithm is adapted to provide **fast illumination update** and finally textured polygons are used for display. This approach allows interactive update rates on mid-range graphics workstations. Our new framework will hopefully lead to CAR systems with **interactive common illumination without restrictions** on the movement of real or synthetic objects, lights and cameras.
(abstract)

where State would benefit from the added functionality.

As per claim 4, State does not explicitly teach the claimed:

Art Unit: 2628

4. (Currently amended) The method according to claim 3, further comprising:

obtaining a position of a single virtual light source, which represents the plurality of light sources; and

Drettakis teaches the claimed limitation by teaching of:

In the system presented we have not shown **the addition of virtual lights**. This is not too hard to achieve, but requires some modification to the incremental update approach, since **the addition of a light source typically affects a large part of the environment**. In addition, special attention must be taken in the re-scaling of the image before display since the addition of **a source can add an order (or orders) of magnitude to the radiosity values of the scene**
(col 4, lines 10-12)

Here, the single virtual light source can be represented as the accumulation of radiosity.

The reference refers to “adding” light onto the total radiosity for each light source.

When every light source is considered, one can represent this radiosity as a single virtual light source through the addition of all individual light sources.

State does not teach the claimed:

comparing the position of the virtual light source and the virtual position of the display object in the three-dimensional image to obtain the relative positional relations therebetween.

Drettakis teaches the claimed limitation in figures 3 and 4. Figure 4 shows the result of the comparison between the virtual light source (as calculated as the accumulated radiosity in figure 3) and the virtual position of the display object (the floating box above the desk). The comparison of the positions and relative positional relationship result in the rendering of a soft and varying shadow on the desk below the floating object. The varying nature of this shadow can be due to the plurality of light directional components

Art Unit: 2628

provide by the virtual light source. One advantage to using this claimed feature with State is to achieve realistic soft shadows affects utilizing multiple light sources.

Response to Arguments

7. Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection. More specifically, the previous prior art rejection of based upon the reference of Loscos has been withdrawn in response to amendments added by applicant that include "a three-dimensional image displayed in real space". However, the prior art reference of State has now been applied to address this limitation because the system of State uses an augmented reality system with a combined optical and digital display which allows the user to interact with the three-dimensional image in real space (bottom of 1st col on pg. 429).

Conclusion

8. The following prior art made of record and relied upon is considered pertinent to applicant's disclosure: NPL Document "UNC Hybrid Tracking Research"

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel F. Hajnik whose telephone number is (571) 272-7642. The examiner can normally be reached on Mon-Fri (8:30A-5:00P).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ulka J. Chauhan can be reached on (571) 272-7782. The fax phone

Art Unit: 2628

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Daniel Kaur

8/16/06

DFH

Ulka Chauhan
ULKA CHAUHAN
SUPERVISORY PATENT EXAMINER